

Sample ID	Analyte	6/25/2014	9/10/2014	11/13/2014	12/16/2014	1/13/2015	2/19/2105	Units
MW-1	Alkalinity	200	338	230	227	262	224	mg CaCO3/L
MW-1 Duplicate	Alkalinity	199	NS	NS	224	259	225	mg CaCO3/L
MW-2	Alkalinity	113	170	177	110	253	159	mg CaCO3/L
MW-3	Alkalinity	93	274	130	110	114	90	mg CaCO3/L
MW-4	Alkalinity	116	306	243	117	116	112	mg CaCO3/L
MW-5	Alkalinity	334	455	446	412	395	374	mg CaCO3/L
MW-6	Alkalinity	94	233	210	257	113	176	mg CaCO3/L
NWSW	Alkalinity	264	260	261	255	264	263	mg CaCO3/L
SESW	Alkalinity	337	329	331	327	331	335	mg CaCO3/L
SESW Duplicate	Alkalinity	NS	330	333	NS	NS	NS	mg CaCO3/L
MW-1	Ammonia-N	0.43	1	1.1	0.72	0.94	1.1	mg N/L
MW-1 Duplicate	Ammonia-N	0.42	NS	NS	0.69	0.92	1.1	mg N/L
MW-2	Ammonia-N	0.68	1.8	0.9	0.85	0.61	0.61	mg N/L
MW-3	Ammonia-N	1.6	2	1.4	1	1	1.3	mg N/L
MW-4	Ammonia-N	0.4	3.6	1.7	0.56	0.73	0.7	mg N/L
MW-5	Ammonia-N	0.49	0.54	0.61	0.58	0.54	0.49	mg N/L
MW-6	Ammonia-N	1.4	0.091	0.31	0.041	1.1	0.33	mg N/L
NWSW	Ammonia-N	0.81	0.85	0.8	0.82	0.8	0.76	mg N/L
SESW	Ammonia-N	1.1	1.2	1.1	1.2	1.2	1.2	mg N/L
SESW Duplicate	Ammonia-N	NS	1.3	1.1	NS	NS	NS	mg N/L
MW-1	Antimony	0.51	1.05	ND	ND	ND	ND	ug/L
MW-1 Duplicate	Antimony	0.52	NS	ND	ND	ND	ND	ug/L
MW-2	Antimony	1.18	ND	ND	ND	0.28	ND	ug/L
MW-3	Antimony	ND	0.42	ND	ND	0.45	ND	ug/L
MW-4	Antimony	1.77	0.39	0.31	0.33	0.3	ND	ug/L
MW-6	Antimony	0.59	0.66	0.47	0.91	0.29	0.69	ug/L
MW-1	Arsenic	2.63	4.5	2.65	2.9	2.71	2.8	ug/L
MW-1 Duplicate	Arsenic	2.58	NS	NS	2.46	2.78	2.81	ug/L
MW-2	Arsenic	4.28	9.39	5.54	2.9	9.54	4.66	ug/L
MW-3	Arsenic	1.36	9.7	4.43	4.48	3.63	2.39	ug/L
MW-4	Arsenic	7.26	33.8*	11.6*	8.09	7.34	7.19	ug/L
MW-5	Arsenic	3.53	9.01	10.3*	6.88	4.79	4.48	ug/L
MW-6	Arsenic	5.53	2.23	2.07	2.46	3.33	2.11	ug/L
NWSW	Arsenic	0.35	0.29	0.25	0.38	0.3	0.34	ug/L
SESW	Arsenic	0.51	0.48	0.39	0.6	0.6	0.76	ug/L
SESW Duplicate	Arsenic	NS	0.44	0.42	NS	NS	NS	ug/L
MW-1	Barium	22.6	24.2	23.6	22.9	23.6	23.6	ug/L
MW-1 Duplicate	Barium	22.3	NS	NS	21.7	24.7	22.8	ug/L
MW-2	Barium	20.6	0.99	1.24	1.47	2.87	4.69	ug/L
MW-3	Barium	79.5	15.8	41	35.5	36.2	68.3	ug/L
MW-4	Barium	20.7	1.96	3.52	11.4	16	16.3	ug/L
MW-5	Barium	28.1	37.3	34.6	38.1	32.6	35.2	ug/L
MW-6	Barium	36.2	72.7	53.1	59.2	26.3	41.3	ug/L
NWSW	Barium	19.3	19.1	17.7	19	18	18.6	ug/L
SESW	Barium	23.4	22	21.1	23	21.8	23.5	ug/L
SESW Duplicate	Barium	NS	22.4	21.1	NS	NS	NS	ug/L
MW-1	C5-C8 Aliphatics	ND	26.3	ND		ND	ND	ug/L
MW-2	C5-C8 Aliphatics	ND	6.6	ND		0.0081	ND	ug/L
MW-5	C5-C8 Aliphatics	ND	ND	9.2		ND	ND	ug/L
MW-1	C9-C10	1.5**	ND	4.8**		ND	ND	ug/L
MW-1 Duplicate	C9-C10	2.8**	NS	NS		ND	ND	ug/L
MW-2	C9-C10	1.5**	ND	ND		ND	ND	ug/L
MW-3	C9-C10	2**	ND	ND		ND	ND	ug/L
MW-4	C9-C10	4.8**	ND	ND		ND	ND	ug/L
MW-5	C9-C10	4.6**	ND	ND		ND	ND	ug/L
MW-6	C9-C10	2.9**	ND	ND		ND	ND	ug/L
SESW	C9-C10	1.5**	ND	ND		0.0026**	ND	ug/L
SESW Duplicate	C9-C12	ND	ND	9.9		ND	NS	ug/L
MW-1	Cadmium	ND	0.26	0.059	ND	ND	ND	ug/L
MW-3	Cadmium	ND	0.064	ND	ND	ND	ND	ug/L
MW-4	Cadmium	ND	0.12	0.18	0.21	0.18	0.29	ug/L
MW-1	Calcium	70.8	166	71.9	64.9	81.9	71.9	mg/L

Sample ID	Analyte	6/25/2014	9/10/2014	11/13/2014	12/16/2014	1/13/2015	2/19/2105	Units
MW-1 Duplicate	Calcium	70.9	NS	NS	64.2	83.3	70.9	mg/L
MW-2	Calcium	41.8	70.2	70.8	36.3	86.2	55.2	mg/L
MW-3	Calcium	64.7	160	84.5	58.4	70.1	80.3	mg/L
MW-4	Calcium	72.7	128	104	46.2	49	49.8	mg/L
MW-5	Calcium	154	175	171	165	163	160	mg/L
MW-6	Calcium	38.9	106	88.5	108	47.9	76.7	mg/L
NWSW	Calcium	99.6	104	99	98.2	99	99.3	mg/L
SESW	Calcium	142	142	137	141	140	144	mg/L
SESW Duplicate	Calcium	NS	140	138	NS	NS	NS	mg/L
NWSW	Carbon Disulfide					0.64		ug/L
MW-1	Chloride	39	22	34	21	32	44	mg Cl/L
MW-1 Duplicate	Chloride	39	NS	NS	21	32	45	mg Cl/L
MW-2	Chloride	37	7.4	3.8	14	21	42	mg Cl/L
MW-3	Chloride	36	19	57	25	28	31	mg Cl/L
MW-4	Chloride	59	31	32	48	45	44	mg Cl/L
MW-5	Chloride	63	11	7.7	38	53	62	mg Cl/L
MW-6	Chloride	4.6	5.6	2.8	4.1	4.7	3.7	mg Cl/L
NWSW	Chloride	42	42	40	41	41	44	mg Cl/L
SESW	Chloride	45	43	43	45	45	47	mg Cl/L
SESW Duplicate	Chloride	NS	43	43	NS	NS	NS	mg Cl/L
MW-1	Chromium	1.4	1	1.5	1.7	0.97	1.1	ug/L
MW-1 Duplicate	Chromium	1.4	NS	NS	1.7	0.9	1.1	ug/L
MW-2	Chromium	4.6	2.5	2.2	2.8	2.3	1.5	ug/L
MW-3	Chromium	5.1	2.3	3	2.5	2.4	3.6	ug/L
MW-4	Chromium	5.7	1.5	2.9	4.2	3.9	3.8	ug/L
MW-5	Chromium	0.87	2.2	2.9	1.7	1.1	1.1	ug/L
MW-6	Chromium	27.2	1	3.6	1.5	2.8	1	ug/L
NWSW	Chromium	1.1	1.2	1.2	1.3	1	1.1	ug/L
SESW	Chromium	2.4	2.7	2.7	2.9	2.3	2.4	ug/L
SESW Duplicate	Chromium	NS	2.7	2.7	NS	NS	NS	ug/L
MW-1	Cobalt	0.14	0.46	0.58	0.32	0.54	0.34	ug/L
MW-1 Duplicate	Cobalt	0.15	NS	NS	0.34	0.56	0.33	ug/L
MW-2	Cobalt	0.73	0.93	0.98	1.09	4.13	1.16	ug/L
MW-3	Cobalt	0.92	1.62	1.13	0.77	0.89	0.92	ug/L
MW-4	Cobalt	0.83	1.02	2.22	2.41	2.17	1.88	ug/L
MW-5	Cobalt	0.29	1.09	0.98	0.88	0.63	0.48	ug/L
MW-6	Cobalt	1.56	0.22	0.25	0.34	0.35	0.14	ug/L
NWSW	Cobalt	0.061	0.11	0.13	0.095	0.14	0.087	ug/L
SESW	Cobalt	0.18	0.24	0.24	0.26	0.21	0.2	ug/L
SESW Duplicate	Cobalt	NS	0.23	0.25	NS	NS	NS	ug/L
MW-1	Copper	16.4	63.3	13	7.56	3.94	1.37	ug/L
MW-1 Duplicate	Copper	15.7	NS	NS	6.55	4.19	1.37	ug/L
MW-2	Copper	19.7	6.37	1.82	2.01	7.56	3.35	ug/L
MW-3	Copper	0.54	4.68	2.48	3.61	5.5	1.33	ug/L
MW-4	Copper	3.81	40.7	41.4	39	28.6	23.7	ug/L
MW-6	Copper	2.13	2.14	1.99	1.95	2.22	2.28	ug/L
MW-1	Hardness	234	469	233	215	274	243	mg/L
MW-1 Duplicate	Hardness	234	NS	NS	213	279	241	mg/L
MW-2	Hardness	142	209	199	112	275	181	mg/L
MW-3	Hardness	232	506	293	203	239	284	mg/L
MW-4	Hardness	261	360	319	179	181	191	mg/L
MW-5	Hardness	407	456	449	431	425	420	mg/L
MW-6	Hardness	106	276	232	285	127	202	mg/L
NWSW	Hardness	272	287	273	272	274	277	mg/L
SESW	Hardness	378	376	363	375	374	384	mg/L
SESW Duplicate	Hardness	NS	371	368	NS	NS	NS	mg/L
MW-1	Iron	1.32E+03	140	1.52 +03	1.26E+03	1.51E+03	1.62E+03	ug/L
MW-1 Duplicate	Iron	1.30E+03	NS	NS	1.27E+03	1.52E+03	1.63E+03	ug/L
MW-2	Iron	3.27E+03	1.21E+03	1.42 +03	1.60E+03	3.52E+03	1.80E+03	ug/L
MW-3	Iron	3.54E+03	2.48E+03	2.86 +03	2.71E+03	2.31E+03	2.47E+03	ug/L
MW-4	Iron	1.38E+03	74	730	1.67E+03	2.22E+03	1.88E+03	ug/L
MW-5	Iron	1.17E+04	5.05E+03	7.04 +03	6.69E+03	7.52E+03	7.95E+03	ug/L

Sample ID	Analyte	6/25/2014	9/10/2014	11/13/2014	12/16/2014	1/13/2015	2/19/2105	Units
MW-6	Iron	2.23E+03	330	430	750	700	9.70E+01	ug/L
NWSW	Iron	2.73E+03	2.80E+03	2.66 +03	2.70E+03	2.66E+03	2.65E+03	ug/L
SESW	Iron	5.07E+03	5.81E+03	3.47 +03	3.55E+03	3.46E+03	3.57E+03	ug/L
SESW Duplicate	Iron	NS	5.70E+03	3.60 +03	NS	NS	NS	ug/L
MW-2	Lead	0.97	ND	ND	ND	ND	ND	ug/L
MW-3	Lead	0.74	ND	ND	ND	ND	ND	ug/L
MW-4	Lead	1.08	ND	ND	0.21	0.25	0.22	ug/L
MW-6	Lead	10.6	0.3	0.66	0.63	0.88	0.21	ug/L
MW-2	m,p-Cresols	ND	19	ND	ND	ND	ND	ug/L
MW-1	Magnesium	13.9	13.4	13.11	12.9	16.9	15.5	mg/L
MW-1 Duplicate	Magnesium	13.7	NS	NS	12.7	17.1	15.5	mg/L
MW-2	Magnesium	9.28	8.33	5.5	5.29	14.4	10.4	mg/L
MW-3	Magnesium	17.1	25.7	19.8	13.8	15.6	20.2	mg/L
MW-4	Magnesium	19.2	9.64	14.6	15.4	14.3	16.1	mg/L
MW-5	Magnesium	5.2	4.7	5.18	4.76	4.62	4.65	mg/L
MW-6	Magnesium	2.05	3.08	2.63	3.59	1.88	2.56	mg/L
NWSW	Magnesium	5.8	6.7	6.37	6.45	6.48	6.96	mg/L
SESW	Magnesium	5.82	5.57	5.3	5.62	5.72	5.84	mg/L
SESW Duplicate	Magnesium	NS	5.5	5.52	NS	NS	NS	mg/L
MW-1	Nickel	ND	1.73	1.9	1.48	1.23	0.93	ug/L
MW-1 Duplicate	Nickel	ND	NS	NS	1.43	1.26	0.87	ug/L
MW-2	Nickel	2.81	5.57	3.84	3.47	5.72	2.47	ug/L
MW-3	Nickel	3.82	3.61	2.52	2.05	2.13	2.88	ug/L
MW-4	Nickel	2.66	2.77	3.91	3.84	4.27	3.76	ug/L
MW-5	Nickel	ND	2.29	2.38	1.73	1.3	1.16	ug/L
MW-6	Nickel	11.4	1.25	1.64	3.4	2.43	1.03	ug/L
NWSW	Nickel	ND	0.5	0.38	0.41	0.49	0.3	ug/L
SESW	Nickel	ND	0.48	0.48	0.61	0.7	0.63	ug/L
SESW Duplicate	Nickel	NS	0.46	0.53	NS	NS	NS	ug/L
SESW	o-Xylene	ND	0.19	ND	ND	ND	ND	ug/L
SESW Duplicate	o-Xylene	NS	0.18	ND	ND	NS	NS	ug/L
MW-1	Potassium	8.8	6.7	9.4	9.3	11	10.6	mg/L
MW-1 Duplicate	Potassium	8.8	NS	NS	9.3	11	10.5	mg/L
MW-2	Potassium	16	4.1	2.8	12	8.8	12	mg/L
MW-3	Potassium	48.1	36	37.9	28.7	29.5	44.9	mg/L
MW-4	Potassium	34.1	7.9	13.1	18.8	19	25.5	mg/L
MW-5	Potassium	0.33	5.7	5.2	4.1	3.2	2.5	mg/L
MW-6	Potassium	6.2	2	2.7	1.6	4.3	3.1	mg/L
NWSW	Potassium	3.7	4.2	3.8	3.7	3.7	4	mg/L
SESW	Potassium	1.8	1.6	1.4	1.5	1.8	1.9	mg/L
SESW Duplicate	Potassium	NS	1.6	1.5	NS	NS	NS	mg/L
MW-1	Silver	ND	0.043	ND	ND	ND	ND	ug/L
MW-2	Silver	ND	0.033	NS	ND	ND	ND	ug/L
MW-4	Silver	ND	0.039	ND	0.025	ND	ND	ug/L
MW-6	Silver	0.026	ND	ND	ND	ND	ND	ug/L
MW-1	Sodium	36	18	36	29.1	31.9	36.3	mg/L
MW-1 Duplicate	Sodium	36.4	NS	NS	28.7	32.4	36.3	mg/L
MW-2	Sodium	30.4	6	4.7	19.4	19.5	34.3	mg/L
MW-3	Sodium	40.9	20.4	26.4	19.4	22.6	31.4	mg/L
MW-4	Sodium	46.2	19.6	25	31.5	30.6	31	mg/L
MW-5	Sodium	18.9	37.6	26.8	32.9	36.8	35.3	mg/L
MW-6	Sodium	2.3	3.1	2.8	4.8	2.3	2.2	mg/L
NWSW	Sodium	36.9	37.2	35.7	34.9	35.8	36.5	mg/L
SESW	Sodium	29.6	27.5	26.7	28.4	29.5	30.3	mg/L
SESW Duplicate	Sodium	NS	27.2	27.2	NS	NS	NS	mg/L
MW-1	Sulfate	23	91	23	12	30	29	mg SO4/L
MW-1 Duplicate	Sulfate	23	NS	NS	12	31	27	mg SO4/L
MW-2	Sulfate	40	8.7	2.3	12	20	36	mg SO4/L
MW-3	Sulfate	190	230	160	100	140	230	mg SO4/L
MW-4	Sulfate	140	27	58	54	63	83	mg SO4/L
MW-5	Sulfate	1.1	3.6	6.4	8.4	5.8	6	mg SO4/L
MW-6	Sulfate	5.5	15	10	8.1	8.2	7.6	mg SO4/L

Sample ID	Analyte	6/25/2014	9/10/2014	11/13/2014	12/16/2014	1/13/2015	2/19/2105	Units
NWSW	Sulfate	20	25	22	19	17	17	mg SO4/L
SESW	Sulfate	22	5.8	8.3	20	29	31	mg SO4/L
SESW Duplicate	Sulfate	NS	5.9	7.9	NS	NS	NS	mg SO4/L
MW-1 Duplicate	Sulfide						1.8	mg SO4/L
MW-2	Sulfide	ND	1.2	1	ND	ND	ND	mg/L
MW-4	Sulfide	1.2	ND	ND	ND	ND	1.2	mg/L
NWSW	Sulfide	ND	ND	1.1	ND	ND	ND	mg/L
SESW	Sulfide						1.7	mg/L
SESW Duplicate	Sulfide	NS	1.3	ND	NS	NS	NS	mg/L
MW-1	TDS	377	581	352	320	384	368	mg/L
MW-1 Duplicate	TDS	365	NS	NS	318	389	375	mg/L
MW-2	TDS	302	272	251	222	374	329	mg/L
MW-3	TDS	575	711	512	387	424	573	mg/L
MW-4	TDS	593	458	456	400	370	409	mg/L
MW-5	TDS	557	628	554	607	555	567	mg/L
MW-6	TDS	238	314	252	321	194	235	mg/L
NWSW	TDS	386	411	371	387	388	382	mg/L
SESW	TDS	490	463	462	492	492	495	mg/L
SESW Duplicate	TDS	NS	459	440	NS	NS	NS	mg/L
MW-4	Thallium	0.14	ND	ND	ND	ND	ND	ug/L
MW-1	Tin	ND	ND	3.8	3.1	ND	3.9	ug/L
MW-1 Duplicate	Tin				3	ND	4.1	ug/L
MW-2	Tin	NS	3.6	3.8	ND	4.4	3.9	ug/L
MW-3	Tin	NS	ND	3.1	ND	ND	3.4	ug/L
MW-4	Tin	NS	4	3.2	ND	ND	3.7	ug/L
MW-5	Tin	NS	4	5.3	3.7	ND	5.8	ug/L
MW-6	Tin	NS	ND	3	ND	ND	3.8	ug/L
NWSW	Tin	NS	3.6	3.7	3.8	3.9	4.6	ug/L
SESW	Tin	NS	4.1	4.1	3.2	3.3	6.1	ug/L
SESW DUPLICATE	Tin	NS	6	4.1	NS	NS	NS	ug/L
MW-1	Titanium	NS	0.98	2.2	3.4	1.3	1.2	ug/L
MW-1 Duplicate	Titanium				3.6	1.3	1.3	ug/L
MW-2	Titanium	NS	2.1	1.7	6.5	2.2	1.5	ug/L
MW-3	Titanium	NS	0.86	1.8	3.1	3.4	3.9	ug/L
MW-4	Titanium	NS	ND	4.3	7.6	8.2	7.2	ug/L
MW-5	Titanium	NS	ND	1.5	1.6	1.5	0.96	ug/L
MW-6	Titanium	NS	21.8	106	62.3	56.8	18.7	ug/L
SESW	Titanium	NS	ND	0.95	0.97	0.91	0.94	ug/L
SESW DUPLICATE	Titanium	NS	ND	1	NS	NS	NS	ug/L
MW-2	Toluene	ND	5.8	ND	ND	ND	ND	ug/L
MW-1	Total_Solids	413	598	376	338	406	386	mg/L
MW-1 Duplicate	Total_Solids	408	NS	NS	328	409	383	mg/L
MW-2	Total_Solids	333	300	264	244	390	341	mg/L
MW-3	Total_Solids	639	770	535	397	448	606	mg/L
MW-4	Total_Solids	667	475	493	408	398	422	mg/L
MW-5	Total_Solids	599	657	603	632	599	598	mg/L
MW-6	Total_Solids	351	333	292	336	208	244	mg/L
NWSW	Total_Solids	421	421	415	396	401	416	mg/L
SESW	Total_Solids	522	483	480	503	521	531	mg/L
SESW DUPLICATE	Total_Solids	NS	483	474	NS	NS	NS	mg/L
MW-1	Vanadium	NS	27.1	5.2	4.8	3.6	3.3	ug/L
MW-1 Duplicate	Vanadium				4.8	3.5	3.5	ug/L
MW-2	Vanadium	NS	3.7	2.6	5.2	6.8	4.1	ug/L
MW-3	Vanadium	NS	7.6	7.1	7.7	11.4	12.7	ug/L
MW-4	Vanadium	NS	6.2	10.4	18.7	22.4	20.9	ug/L
MW-5	Vanadium	NS	10.8	11.3	8.4	5.9	6.7	ug/L
MW-6	Vanadium	NS	13.2	9.2	11.3	8	13.6	ug/L
NWSW	Vanadium	NS	6.4	6.1	6	5.8	6.3	ug/L
SESW	Vanadium	NS	10.6	10	9.6	9.1	10.1	ug/L
SESW DUPLICATE	Vanadium	NS	10.7	10.1	NS	NS	NS	ug/L
MW-1	Zinc	ND	36	14	5.3	ND	ND	ug/L
MW-1 Duplicate	Zinc				5.3	ND	ND	ug/L

Sample ID	Analyte	6/25/2014	9/10/2014	11/13/2014	12/16/2014	1/13/2015	2/19/2105	Units
MW-2	Zinc					5.1	ND	ug/L
MW-3	Zinc	ND	ND	12	ND	ND	ND	ug/L
MW-4	Zinc	ND	12	38	50	38	36	ug/L
SESW	Zinc					5.8	ND	ug/L
MW-1	pH	6.66	6.58	6.73	6.96	6.78	6.81	SU
MW-2	pH	6.92	6.63	6.73	6.2	6.56	6.31	SU
MW-3	pH	5.64	6.55	6.48	5.94	6.19	5.8	SU
MW-4	pH	5.92	6.7	6.54	5.87	6.17	5.57	SU
MW-5	pH	6.8	6.68	6.63	7.04	6.78	6.7	SU
MW-6	pH	5.97	6.72	6.8	6.63	6.05	6.38	SU
SESW	pH	6.66	6.94	6.8	6.84	6.83	6.83	SU
NWSW	pH	6.87	7.06	7.21	7.29	7.12	7.05	SU
MW-1	Temperature	27.3	28	23	22.1	20.4	19	C°
MW-2	Temperature	28.7	28.5	23	22.7	20.7	19.8	C°
MW-3	Temperature	26.9	28.2	25.4	22.8	20.4	20.74	C°
MW-4	Temperature	27.8	28.7	26.5	22.4	20.8	19.92	C°
MW-5	Temperature	25.8	26	24.2	21.4	22.6	19.7	C°
MW-6	Temperature	28.3	28.2	25.6	22.9	24.5	22.24	C°
SESW	Temperature	25	24.7	24.6	24.7	24.2	24	C°
NWSW	Temperature	24.3	24	24.1	24.2	24.2	23.74	C°
MW-1	Specific Conductance	616	922	680	511	693	637	uS/cm
MW-2	Specific Conductance	476	399	618	311	650	493	uS/cm
MW-3	Specific Conductance	764	1029	857	732	640	994	uS/cm
MW-4	Specific Conductance	773	757	698	691	619	705	uS/cm
MW-5	Specific Conductance	851	890	815	866	867	816	uS/cm
MW-6	Specific Conductance	216	562	482	715	273	505	uS/cm
SESW	Specific Conductance	819	779	802	818	856	813	uS/cm
NWSW	Specific Conductance	675	682	689	678	562	901	uS/cm
MW-1	Dissolved Oxygen	15.2	9.6	9.7	4.1	5.7	1.28 (mg/L)	%
MW-2	Dissolved Oxygen	19	4.6	9.7	2.2	6.1	0.39 (mg/L)	%
MW-3	Dissolved Oxygen	16	4.5	14.3	3.3	8.9	3.7	%
MW-4	Dissolved Oxygen	14.7	5.8	39.5	0.87 (mg/L)	18.4	19.5	%
MW-5	Dissolved Oxygen	6.9	3.6	4.6	1.8	9.2	0.32 (mg/L)	%
MW-6	Dissolved Oxygen	9	9.5	17.4	19.6	4.6	18.2	%
SESW	Dissolved Oxygen	9.8	5	16.8	10	0.5	5	%
NWSW	Dissolved Oxygen		3.1	7.01	2.1	4	2	%
MW-1	Turbidity	2.56	1.1	2.67	2.37	1.23	1.54	NTUs
MW-2	Turbidity	19.2	2.69	1.96	4.46	1.19	2.75	NTUs
MW-3	Turbidity	13.8	0.72	1.88	4.44	3.14	1.62	NTUs
MW-4	Turbidity	24.9	0.94	2.47	10.6	7.49	1.39	NTUs
MW-5	Turbidity	1.54	2.02	1.71	1.5	2.25	2.25	NTUs
MW-6	Turbidity	285	10.6	174	9.15	20.7	8.41	NTUs
SESW	Turbidity	1.22	0.46	0.38	0.32	0.38	1.47	NTUs
NWSW	Turbidity	0.56	1.28	0.41	0.3	0.93	0.69	NTUs
MW-1	ORP	-77	15.8	-58.1	-30.4	-219	-57.9	Millivolts
MW-2	ORP	-57	-166	-40.6	-33.2	-56	-30	Millivolts
MW-3	ORP	-100	-139	-18.7	-40.1	-30.3	41.7	Millivolts
MW-4	ORP	-63	71	3.4	84	-0.4	148	Millivolts
MW-5	ORP	-90	-110	-57.3	-51.2	-51	-49	Millivolts
MW-6	ORP	-94	30	0.6	5.6	-232.4	112.4	Millivolts
SESW	ORP	-126	-130	-316	-119.5	-273	-64.6	Millivolts
NWSW	ORP	-117	-130	-326	-203.2	-96.2	-67.7	Millivolts

* Exceeds Florida Primary Drinking Standard

** Analyte also detected in laboratory blank